


Company: _____

Commission: _____

	Sailcloth	Concave %
<input type="checkbox"/>	Austronet 940	6 %
<input type="checkbox"/>	Austronet 940	3 %
<input type="checkbox"/>	Austronet Stretch	
<input type="checkbox"/>	Austrosail PES	3 %
<input type="checkbox"/>	Austrosail NANO	3 %
<input type="checkbox"/>	Austrosail Acryl backstitch	6 %
<input type="checkbox"/>	Austrosail Acryl glue seam	6 %



Concavity is dependent on the sail tension color: _____

The Sketch of the sail always refers to the TOP view, the corners are clockwise!
For orders with sail-end-measure, enter values for YA, YB and YC NO. For the optimal position of the seams, the water flow is indicated.

Side	Sidlength mm	Side		Deduction measure Y in mm Attachment point	Corner		with hollowsea
		concav	sraight		D-ring	strap	
A - B		<input type="checkbox"/>	<input type="checkbox"/>	YA	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B - C		<input type="checkbox"/>	<input type="checkbox"/>	YB	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C - A		<input type="checkbox"/>	<input type="checkbox"/>	YC	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Accessory (optionally)	Decution Measure Y	Quantity
Soliday closed stainless steel turnbuckle M8 fork/fork	Y = 260 mm	Pcs.
Soliday professional turnbuckle	Y = MIN. 100 MM	Pcs.
Soliday strap ratchet	Y = MIN. 180 MM	Pcs.
Soliday tension belt with security-shackle	Y = MIND 100 MM	Pcs.
Soliday stainless steel carabiner	Y = 60 MM	Pcs.

Date:

Sign: